

## Cloud cellphone client software user instructions

V1.0.1

1. Download and install client software, mobile phone desktop display client LOGO, as shown in



figure1:

Figure1



figure2

2. Click the LOGO and open the client software, as shown in figure 2:
3. The client login:



Figure3





figure4

a. According to the user login as shown in figure 3(After login you can see all the IPCs and preview);


User name and password: users registered in the http://xmeye.net.

b. Click login, the client interface as shown in figure4:

c. Click , then display all the IPCs in the Cloud as shown in figure 4:

Click , then start or stop the current preview picture. Click , capture the current picture in local.

Click , then record the video in local.

Click , then check the alarm information of the current preview picture.

4. Choose to Click on one of the cameras, then pop-up all the channel on the device (the IPC has only one channel). Click the channel options to change the channel. As shown in figure 5:




Figure5



figure6

5. According to device to login as shown in figure 6:

a. Add function, add IPCs to client software.

Device name: set by user (not the same).

Serial number: find the cloud serial number with the search tool named device manage.

User name: admin

Password: none

- Max channels: IPC select one, NVR select by the real channels.
- b. Edit function, can modify the informations of camera.
  - c. Added cameras as shown in figure7, click one of the name of camera or serial number, can open the preview picture of camera in figure8:




Figure7



figure8